



LEDtube Mains T5

MAS LEDtube 600mm HE 8W 830 T5

The new Philips Master LEDtube Mains T5 brings simplicity to your lighting project. You no longer need to pay attention to the driver technology. Thanks to a unique design, the Philips MASTER LEDtube Mains T5 directly installs in luminaires operating on mains power. Simple to operate and no need to carry double stock of products! Perfectly safe, reliable and easy to install: Philips MASTER LEDtube Mains T5 is the ideal alternative to standard fluorescent tubes to maximise value over lifetime with high-energy saving and lower maintenance costs.

Product data

General Information		Power (Rated) (Nom)	
Cap base	G5 [G5]		8 W
EU RoHS compliant	Yes	Lamp current (max.)	90 mA
Nominal lifetime (nom.)	50000 h	Lamp current (min.)	35 mA
Switching cycle	200,000X	Starting time (nom.)	0.5 s
Technical type	8-14W	Warm-up time to 60% light (nom.)	0.5 s
		Power factor (nom.)	0.9
		Voltage (Nom)	100-240 V
Light Technical		Temperature	
Colour Code	830 [CCT of 3,000 K]	T-ambient (max.)	45 °C
Beam Angle (Nom)	200 °	T-ambient (min.)	-20 °C
Lamp Luminous Flux 25°C EL (Nom)	1000 lm	T storage (max.)	65 °C
Colour Designation	White (WH)	T storage (min.)	-40 °C
Colour Temperature, horizontal (Nom)	3000 K	T-Case maximum (nom.)	60 °C
Lamp Luminous Efficacy EM (Nom)	125.00 lm/W		
Colour consistency	<6	Controls and Dimming	
Colour Rendering Index,horiz (Nom)	80	Dimmable	No
LLMF at end of nominal lifetime (nom.)	70 %		
Operating and Electrical		Mechanical and Housing	
Input frequency	50 to 60 Hz	Lamp Finish	Frosted

LEDtube Mains T5


Bulb material	Glass
Product length	600 mm
Approval and Application	
Energy efficiency label (EEL)	A++
Energy-saving product	Yes
Approval marks	RoHS compliance CE marking KEMA Keur certificate
Energy consumption kWh/1,000 hours	8 kWh

Product Data

Full product code	871869978343300
-------------------	-----------------

Order product name	MAS LEDtube 600mm HE 8W 830 T5
EAN/UPC – product	8718699783433
Order code	929002420608
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
Material no. (12 NC)	929002420608
SAP net weight (piece)	0.250 kg


Dimensional drawing




Master LEDtube 600mm 8W830 G5 WV GMGC

Product	D1	D2	A1	A2	A3
MAS LEDtube 600mm HE 8W 830 T5	15.8 mm	19 mm	549 mm	556.1 mm	563.2 mm

Photometric data




LEDtube MAS 8W G5 1000lm



LEDtube MAS 8W G5 1000lm 830

LEDtube Mains T5



Photometric data



© 2021 Philips Lighting B.V. Page 10 of 11



LEDtube MAS 8W G5 1000lm 830

Lifetime



LEDtube 50K-LED

LEDtube 50K FailureRate-LED



LEDtube 8W 50K LumenVsTc

LEDtube 50K-LMP

LEDtube Mains T5

Lifetime



LEDtube 50K LifetimeVsTc-LED

